

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 08-Aug-2012 Revision Date 09-Feb-2024 Revision Number 11

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Hydrazine hydrate solution 62%</u>
Cat No.: <u>H/0500/PB08, H/0500/PB17, H/0500/17</u>

Molecular Formula H4 N2 . x H2 O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business nameThermo Fisher Scientific
Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity Category 3 (H301)

FSUH0500

Hydrazine hydrate solution 62%

Revision Date 09-Feb-2024

Acute dermal toxicity
Acute Inhalation Toxicity - Vapors
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Skin Sensitization
Carcinogenicity

Category 1 (H318)
Category 1 (H317)
Category 1 (H317)

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1 (H400)
Category 1 (H410)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H301 + H311 - Toxic if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P201 - Obtain special instructions before use

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P273 - Avoid release to the environment

2.3. Other hazards

PBT:-

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)

vPvB :-

This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hydrazine hydrate solution 62%

Revision Date 09-Feb-2024

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Hydrazine hydrate	10217-52-4	206-114-9	58 - 64	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Carc. 1B (H350) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Hydrazine	302-01-2	EEC No. 206-114-9	-	Flam. Liq. 3 (H226) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Carc. 1B (H350) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Water	7732-18-5	231-791-2	36 - 62	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Hydrazine hydrate	Skin Corr. 1B :: C>=10% Skin Irrit. 2 :: 3%<=C<10%	-	-
	Eye Irrit. 2 :: 3%<=C<10%		
Hydrazine	Eye Irrit. 2 (H319) :: 3%<=C<10% Skin Corr. 1B (H314) :: C>=10% Skin Irrit. 2 (H315) :: 3%<=C<10%	10	- -

Components	Reach Registration Number	
Hydrazine	01-2119492624-31	(for the anhydrous form)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Ingestion Call a physician immediately. Clean mouth with water.

Inhalation Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

Revision Date 09-Feb-2024

lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Nitrogen oxides (NOx), Ammonia, Hydrogen.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with skin, eyes and inhalation of vapors. Remove all sources of ignition. Wear protective gloves/clothing and eye/face protection. In case of inadequate ventilation wear respiratory protection.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not flush into surface water or sanitary sewer system.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handle product only in closed system or provide appropriate exhaust ventilation. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear personal protective equipment/face protection.

Hygiene Measures

Hydrazine hydrate solution 62%

Revision Date 09-Feb-2024

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from oxidizing agents. Keep away from heat, sparks and flame. Protect from light. Protect from sunlight. Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 6.1A

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	The United Kingdom	European Union	Ireland
Hydrazine	STEL: 0.03 ppm 15 min	TWA: 0.013 mg/m ³ (8h)	TWA: 0.01 ppm 8 hr.
	STEL: 0.039 mg/m ³ 15 min	TWA: 0.01 ppm (8h)	TWA: 0.013 mg/m ³ 8 hr.
	TWA: 0.01 ppm 8 hr	Skin	STEL: 0.03 ppm 15 min
	TWA: 0.013 mg/m ³ 8 hr		STEL: 0.039 mg/m ³ 15 min
	Carc.		Skin
	Skin		

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Predicted No Effect Concentration (PNEC)

See values below.

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment Eve Protection

Goggles (European standard - EN 166)

Hydrazine hydrate solution 62%

Revision Date 09-Feb-2024

Hand Protection	Protective gloves
-----------------	-------------------

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	> 480 minutes	0.1 - 0.2 mm	Level 6	As tested under EN374-3 Determination of
Neoprene	> 480 minutes	0.38 mm	EN 374	Resistance to Permeation by Chemicals
Neoprene gloves	> 480 minutes	0.45 mm		
Viton (R)	> 480 minutes	0.30 mm		

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Organic gases and vapours filter Type K

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask: - Half mask: EN140; Type K When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless Ammonia-like Odor **Odor Threshold** No data available -65 °C / -85 °F Melting Point/Range No data available **Softening Point Boiling Point/Range** 109.4 °C / 228.9 °F

Flammability (liquid) No data available On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 9.3 **Upper** 83.4

Flash Point 73 - 91 °C / 163.4 - 195.8 °F Method - Open cup

Autoignition Temperature 310 °C / 590 °F

Decomposition Temperature > 250°C

10.6-10.7 (1%)Ha

1.26 mPa.s at 20 °C Viscosity

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Hydrazine -0.16

15 mbar @ 20 °C **Vapor Pressure**

1.023 **Density / Specific Gravity**

Bulk Density Not applicable Liquid

Hydrazine hydrate solution 62%

Revision Date 09-Feb-2024

Vapor Density 1.1 @ 15 °C (Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula H4 N2 . x H2 O

Molecular Weight32.04Explosive PropertiesNot explosive

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity No

10.2. Chemical stability

Do not allow evaporation to dryness. Air sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions No information available.

10.4. Conditions to avoid

Exposure to air. Incompatible products.

10.5. Incompatible materials

Acids. Bases. Finely powdered metals. Halogens. nitrogen oxides (NOx). Organic materials.

Peroxides. Lead. Metals. copper. Butyl rubber.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Ammonia. Hydrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 3

ATE = 244.1 mg/kg

Dermal Category 3

ATE = 588.2 mg/kg

Inhalation Category 2

ATE = 1.21 mg/l (vapours)

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrazine hydrate	LD50 = 108 mg/kg bw (Rat) OECD TG 401	-	-
Hydrazine	LD50 = 60 mg/kg (Rat)	LD50 = 91 mg/kg (Rabbit)	570 ppm (Rat)4 h 0.75 mg/L (Rat)4 h
Water	-	-	-

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

Revision Date 09-Feb-2024

(d) respiratory or skin sensitization;

No data available Respiratory Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 1B

Possible cancer hazard. May cause cancer based on animal data

Component	EU	UK	Germany	IARC
Hydrazine	Carc Cat. 1B		Cat. 2	Group 2A

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Test species / Duration

Study result

 $LOAEL = 0.066 \text{ mg/m}^3$ NOAEL = 1.92 mg/kg

Target Organs None known.

No data available (j) aspiration hazard;

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed

Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Hydrazine	LC50: 0.28 - 1.34 mg/L, 96h		EC50: = 0.006 mg/L, 72h static
	static (Poecilia reticulata)		(Pseudokirchneriella subcapitata)
	LC50: 1.81 - 2.79 mg/L, 96h		EC50: = 0.071 mg/L, 72h
	flow-through (Pimephales		(Pseudokirchneriella subcapitata)
	promelas)		EC50: = 0.02 mg/L, 96h static
	LC50: = 1.17 mg/L, 96h		(Pseudokirchneriella subcapitata)
	(Lepomis macrochirus)		
	LC50: 0.54 - 1.31 mg/L, 96h		
	static (Lepomis macrochirus)		
	LC50: 0.7 - 1.3 mg/L, 96h		
	flow-through (Lepomis		
	macrochirus)		

Hydrazine hydrate solution 62%

Revision Date 09-Feb-2024

Component	Microtox	M-Factor
Hydrazine	EC50 = 0.01 mg/L 15 min	10
	EC50 = 0.01 mg/L 20 min	
	EC50 = 0.02 mg/L 5 min	

12.2. Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Degradation in sewage treatment plant

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Hydrazine	-0.16	No data available

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

PBT:-. This preparation contains no substance considered to be persistent,

bioaccumulating nor toxic (PBT).

vPvB :-. This preparation contains no substance considered to be very persistent nor very

bioaccumulating (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

> application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized

before discharge. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

Hydrazine hydrate solution 62% Revision Date 09-Feb-2024

14.1. UN number UN2030

14.2. UN proper shipping name HYDRAZINE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupII

ADR

14.1. UN number UN2030

14.2. UN proper shipping name HYDRAZINE AQUEOUS SOLUTION

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupII

<u>IATA</u>

14.1. UN number UN2030

14.2. UN proper shipping name HYDRAZINE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupII

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Hydrazine hydrate	10217-52-4	-	-	-	Х	X	-	X	X
Hydrazine	302-01-2	206-114-9	-	-	Х	X	KE-19981	X	Х
Water	7732-18-5	231-791-2	-	-	Х	X	KE-35400	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Hydrazine hydrate	10217-52-4	-	-	-	-	-	X	-
Hydrazine	302-01-2	X	ACTIVE	Х	-	Х	X	X
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydrazine hydrate	10217-52-4	-	-	-
1 iyarazirio iiyarato				

Hydrazine hydrate solution 62%

Revision Date 09-Feb-2024

			(see link for restriction details) Use restricted. See item 75. (see link for restriction details)	Article 57a
Water	7732-18-5	-	- 1	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Hydrazine hydrate	10217-52-4	Not applicable	Not applicable
Hydrazine	302-01-2	0.5 tonne	2 tonne
Water	7732-18-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Hydrazine	WGK3	Krebserzeugende Stoffe - Class I : 0.05 mg/m³
		(Massenkonzentration)

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Hydrazine hydrate solution 62%

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eve damage

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 09-Feb-2024

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% **NOEC** - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date 08-Aug-2012 **Revision Date** 09-Feb-2024

Revision Summary SDS sections updated, 1, 3.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Revision Date 09-Feb-2024

materials or in any process, unless specified in the text

End of Safety Data Sheet