

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 06-Apr-2010 Revision Date 05-Feb-2024 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: 4,4'-Methylenebis(phenyl isocyanate)

Cat No. : L15740 Synonyms MDI

 Index No
 615-005-00-9

 CAS No
 101-68-8

 EC No
 202-966-0

 Molecular Formula
 C15 H10 N2 O2

REACH registration number -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

ALFAAL15740

4,4'-Methylenebis(phenyl isocyanate)

Revision Date 05-Feb-2024

Based on available data, the classification criteria are not met

Health hazards

Acute Inhalation Toxicity - Dusts and Mists Category 4 (H332) Skin Corrosion/Irritation Category 2 (H315) Serious Eye Damage/Eye Irritation Category 2 (H319) Category 1 (H334) Respiratory Sensitization Skin Sensitization Category 1 (H317) Carcinogenicity Category 2 (H351) Specific target organ toxicity - (single exposure) Category 3 (H335) Specific target organ toxicity - (repeated exposure) Category 2 (H373)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H351 - Suspected of causing cancer

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

Decomposes in contact with water

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) Lachrymator (substance which increases the flow of tears)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Methylene bisphenol isocyanate (MDI)	101-68-8	EEC No. 202-966-0	>95	Acute Tox. 4 (H332)
Benzene, 1-isocyanato-2-[(4-isocyanatophenyl)methyl]-	5873-54-1	EEC No. 227-534-9	<2.5	Acute Tox. 4 (H332) Carc. 2 (H351) STOT RE 2 (H373) Eye Irrit. 2 (H319) STOT SE 3 (H335) Skin Irrit. 2 (H315) Resp. Sens. 1 (H334) Skin Sens. 1 (H317)

Component	Specific concentration limits	M-Factor	Component notes
	(SCL's)		
Methylene bisphenol isocyanate (MDI)	Eye Irrit. 2 (H319) :: C>=5%	=	-
	Resp. Sens. 1 (H334) :: C>=0.1%		
	Skin Irrit. 2 (H315) :: C>=5%		
	STOT SE 3 (H335) :: C>=5%		
Benzene,	Eye Irrit. 2 (H319) :: C>=5%	-	=
1-isocyanato-2-[(4-isocyanatophenyl)methyl	Resp. Sens. 1 (H334) :: C>=0.1%		
]-	Skin Irrit. 2 (H315) :: C>=5%		
	STOT SE 3 (H335) :: C>=5%		

REACH registration number	-
---------------------------	---

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Self-Protection of the First Aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. . Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4,4'-Methylenebis(phenyl isocyanate)

Revision Date 05-Feb-2024

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. To maintain product quality: Keep refrigerated.

Technical Rules for Hazardous Substances (TRGS) 510

4,4'-Methylenebis(phenyl isocyanate)

Revision Date 05-Feb-2024

Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Methylene bisphenol isocyanate (MDI)	STEL: 0.07 mg/m ³ 15 min		TWA: 0.005 ppm 8 hr. NCO
	TWA: 0.02 mg/m ³ 8 hr		STEL: 0.015 ppm 15 min
	Resp. Sens.		
Benzene, 1-isocyanato-2-[(4-isocyanatophenyl)methyl]-	STEL: 0.07 mg/m ³ 15 min		
	TWA: 0.02 mg/m ³ 8 hr		
	Resp. Sens.		

Biological limit values

Component	United Kingdom	European Union
Methylene bisphenol isocyanate (MDI)	: 1 mmol isocyanate-derived diamine/mol	
	creatinine urine end of the period of	
	exposure	

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)
Methylene bisphenol isocyanate (MDI)	DNEL = 0.1mg/m ³		$DNEL = 0.05 mg/m^3$	
101-68-8 (>95)				
Benzene, 1-isocyanato-2-[(4-isocyanatoph enyl)methyl]- 5873-54-1 (<2.5)	DNEL = 0.1mg/m ³		DNEL = 0.05mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Methylene bisphenol	PNEC = 1mg/L		PNEC = 10mg/L	PNEC = 1mg/L	PNEC = 1mg/kg soil
isocyanate (MDI)					dw
101-68-8 (>95)					
Benzene,	PNEC = 1mg/L		PNEC = 10mg/L	PNEC = 1mg/L	PNEC = 1mg/kg soil
1-isocyanato-2-[(4-isocyan					dw
atophenyl)methyl]-					
5873-54-1 (<2.5)					

Component	Marine water	Marine water	Marine water	Food chain	Air

Revision Date 05-Feb-2024

4,4'-Methylenebis(phenyl isocyanate)

Methylene bisphenol isocyanate (MDI) 101-68-8 (>95)

Benzene, 1-isocyanato-2-[(4-isocyan atophenyl)methyl]-5873-54-1 (<2.5)

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance White Odor Slight

Odor Threshold No data available

Revision Date 05-Feb-2024

4,4'-Methylenebis(phenyl isocyanate)

Melting Point/Range 40 °C / 104 °F

Softening Point/Range

Softening Point

Boiling Point/Range

392 °C / 737.6 °F

Flammability (liquid) Not applicable Solid

Flammability (solid,gas)

Explosion Limits

No information available

No data available

Flash Point 202 °C / 395.6 °F Method - No information available

Autoignition Temperature 600 °C / 1112 °F Decomposition Temperature No data available

pH No information available

Viscosity Not applicable Solid

Water Solubility Decomposes in contact with water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Methylene bisphenol isocyanate (MDI) 4.5

Vapor Pressure <0.01 Pa @ 25 °C

Density / Specific Gravity 1.22

Bulk Density No data available

Vapor Density Not applicable Solid

Particle characteristics No data available

9.2. Other information

Molecular Formula C15 H10 N2 O2 Molecular Weight 250.26

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions. Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation. Exposure to moisture.

10.5. Incompatible materials

Strong oxidizing agents. Acids. Bases. Alcohols. Amines. copper. Copper alloys. Water.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

Revision Date 05-Feb-2024

4,4'-Methylenebis(phenyl isocyanate)

Dermal

Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene bisphenol isocyanate (MDI)	LD50 = 31600 mg/kg (Rat)	-	490 mg/m³/4H (Rat)

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

RespiratoryCategory 1SkinCategory 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Category 2

Route of exposure Inhalation

Target Organs Respiratory system.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects See actual entry in RTECS for complete information

Symptoms / effects,both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling delayed of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effectsDo not empty into drains. Reacts with water so no ecotoxicity data for the substance is

available.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Methylene bisphenol isocyanate (MDI)		EC50 >1000 mg/L/24h (Daphnia)	
	(Brachydanio rerio)		

Revision Date 05-Feb-2024

12.2. Persistence and degradability Not readily biodegradable

Persistence based on information available, May persist.

bioconcentrate

DegradabilityDecomposes in contact with water.Degradation in sewageDecomposes in contact with water.

treatment plant

12.3. Bioaccumulative potential

Product does not bioaccumulate due to reaction with water; Product has a high potential to

Component	log Pow	Bioconcentration factor (BCF)
Methylene bisphenol isocyanate (MDI)	4.5	92 dimensionless
		200 dimensionless

12.4. Mobility in soil

Decomposes in contact with water Is not likely mobile in the environment. Is not likely

mobile in the environment due its low water solubility and propensity to bind to soil particles

12.5. Results of PBT and vPvB Decomposes in contact with water. Substance is not considered persistent,

assessment bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant

Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

4,4'-Methylenebis(phenyl isocyanate)

Revision Date 05-Feb-2024

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

<u>IATA</u> Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Methylene bisphenol isocyanate	101-68-8	202-966-0	-	-	X	X	KE-12080	X	X
(MDI)									
Benzene,	5873-54-1	227-534-9	-	-	X	X	KE-21471	X	Х
1-isocyanato-2-[(4-isocyanatophen									
yl)methyl]-									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Methylene bisphenol isocyanate (MDI)	101-68-8	X	ACTIVE	X	-	Х	Х	Х
Benzene, 1-isocyanato-2-[(4-isocyanatophen yl)methyl]-	5873-54-1	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous	REACH Regulation (EC 1907/2006) article 59 - Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Methylene bisphenol isocyanate	101-68-8	-	Use restricted. See item	-
(MDI)			56[a].	
			(see link for restriction	
			details)	
			Use restricted. See item	
			75.	
			(see link for restriction	
			details) Use restricted. See	
			item 74.	
			(see link for restriction	
			details)	
Benzene,	5873-54-1	-	Use restricted. See item	-

Revision Date 05-Feb-2024

4,4'-Methylenebis(phenyl isocyanate)

1-isocyanato-2-[(4-isocyanatophenyl)methyl]
| So[b]. (see link for restriction details)
| Use restricted. See item 75. (see link for restriction details) Use restricted. See item 74. (see link for restriction details)

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Methylene bisphenol isocyanate (MDI)	101-68-8	Not applicable	Not applicable
Benzene, 1-isocyanato-2-[(4-isocyanat ophenyl)methyl]-	5873-54-1	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

See table for values

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Methylene bisphenol isocyanate	WGK1	Class I: 20 mg/m³ (Massenkonzentration)
(MDI)		
Benzene,	WGK1	Class I: 20 mg/m³ (Massenkonzentration)
1-isocyanato-2-[(4-isocyanatoph		
enyl)methyl]-		

Component	France - INRS (Tables of occupational diseases)
Methylene bisphenol isocyanate (MDI)	Tableaux des maladies professionnelles (TMP) - RG 62
Benzene, 1-isocyanato-2-[(4-isocyanatoph enyl)methyl]-	Tableaux des maladies professionnelles (TMP) - RG 62

Component	Switzerland - Ordinance on the	Switzerland - Ordinance on	Switzerland - Ordinance of the
	Reduction of Risk from handling of hazardous	Incentive Taxes on Volatile Organic Compounds (OVOC)	Rotterdam Convention on the Prior Informed Consent
	substances preparation (SR	, , , , , , , , , , , , , , , , , , , ,	Procedure

4,4'-Methylenebis(phenyl isocyanate)

	814.81)	
Methylene bisphenol isocyanate (MDI)	Prohibited and Restricted	
101-68-8 (>95)	Substances	
Benzene,	Prohibited and Restricted	
1-isocyanato-2-[(4-isocyanatophenyl)methyl	Substances	
]-		
5873-54-1 (<2.5)		

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H332 - Harmful if inhaled

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H351 - Suspected of causing cancer H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Revision Date 05-Feb-2024

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate **VOC** - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Health, Safety and Environmental Department Prepared By

Creation Date 06-Apr-2010 **Revision Date** 05-Feb-2024

New emergency telephone response service provider. **Revision Summary**

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as

Revision Date 05-Feb-2024

amended.

-

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet