

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **Nickel powder, low carbon, Puratronic®**  
 Cat No. : **12966**  
 Index No 028-002-00-7  
 CAS No 7440-02-0  
 Molecular Formula Ni(core)/NiO(shell)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
 Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company Avocado Research Chemicals Ltd.  
 (Part of Thermo Fisher Scientific)  
 Shore Road, Heysham  
 Lancashire, LA3 2XY,  
 United Kingdom  
 Office Tel: +44 (0) 1524 850506  
 Office Fax: +44 (0) 1524 850608

E-mail address [begele.sdsdesk@thermofisher.com](mailto:begele.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Flammable solids Category 2 (H228)

##### Health hazards

Skin Sensitization Category 1 (H317)

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

|  |                   |
|--|-------------------|
| Carcinogenicity                                      | Category 2 (H351) |
| Specific target organ toxicity - (repeated exposure) | Category 1 (H372) |
| <b>Environmental hazards</b>                         |                   |
| Chronic aquatic toxicity                             | Category 3 (H412) |

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

### Hazard Statements

- H228 - Flammable solid
- H317 - May cause an allergic skin reaction
- H351 - Suspected of causing cancer
- H372 - Causes damage to organs through prolonged or repeated exposure
- H412 - Harmful to aquatic life with long lasting effects

### Precautionary Statements

- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P201 - Obtain special instructions before use
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P308 + P313 - IF exposed or concerned: Get medical advice/attention
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxicity to Soil Dwelling Organisms

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component | CAS No    | EC No     | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567                      |
|-----------|-----------|-----------|----------|--|
| Nickel    | 7440-02-0 | 231-111-4 | <=100    | Flam. Sol. 2 (H228)<br>Skin Sens. 1 (H317)<br>Carc. 2 (H351)<br>STOT RE 1 (H372)<br>Aquatic Chronic 3 (H412) |

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>General Advice</b>                     | If symptoms persist, call a physician.   |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.  |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Nickel oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

## 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

## 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 4.1B  
**Storage Class (LGK) (Germany)**

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom  | European Union | Ireland  |
|-----------|---|----------------|--|
| Nickel    | STEL: 1.5 mg/m <sup>3</sup> 15 min<br>TWA: 0.5 mg/m <sup>3</sup> 8 hr<br>Skin |                | TWA: 0.5 mg/m <sup>3</sup> 8 hr.<br>STEL: 1.5 mg/m <sup>3</sup> 15 min |

#### **Biological limit values**

List source(s):

**Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)**

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

See table for values

| Component                    | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Nickel<br>7440-02-0 ( ≤100 ) |                              |                                 | DNEL = 0.035mg/cm <sup>2</sup> |                                   |

| Component                    | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Nickel<br>7440-02-0 ( ≤100 ) | DNEL = 11.9mg/m <sup>3</sup>     |                                     | DNEL = 0.05mg/m <sup>3</sup>       | DNEL = 0.05mg/m <sup>3</sup>          |

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                    | Fresh water    | Fresh water sediment        | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)       |
|------------------------------|----------------|-----------------------------|--------------------|------------------------------------|--------------------------|
| Nickel<br>7440-02-0 ( ≤100 ) | PNEC = 7.1µg/L | PNEC = 109mg/kg sediment dw |                    | PNEC = 0.33mg/L                    | PNEC = 29.9mg/kg soil dw |

| Component                    | Marine water   | Marine water sediment       | Marine water intermittent | Food chain            | Air |
|------------------------------|----------------|-----------------------------|---------------------------|-----------------------|-----|
| Nickel<br>7440-02-0 ( ≤100 ) | PNEC = 8.6µg/L | PNEC = 109mg/kg sediment dw |                           | PNEC = 0.12mg/kg food |     |

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | 480 minutes       | 0.11mm          | EN 374      | (minimum requirement) |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

In case of insufficient ventilation, wear suitable respiratory equipment

**Recommended Filter type:** Particulates filter conforming to EN 143

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|  |                          |  |
|--|--------------------------|--|
| <b>Physical State</b>                          | Solid                    |  |
| <b>Appearance</b>                              | Silver Grey              |  |
| <b>Odor</b>                                    | Odorless                 |  |
| <b>Odor Threshold</b>                          | No data available        |  |
| <b>Melting Point/Range</b>                     | 1455 °C / 2651 °F        |  |
| <b>Softening Point</b>                         | No data available        |  |
| <b>Boiling Point/Range</b>                     | 2732 °C / 4949.6 °F      |  |
| <b>Flammability (liquid)</b>                   | Not applicable           | Solid                                    |
| <b>Flammability (solid,gas)</b>                | No information available |  |
| <b>Explosion Limits</b>                        | No data available        |  |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available        |  |
| <b>Decomposition Temperature</b>               | No data available        |  |
| <b>pH</b>                                      | Not applicable           |  |
| <b>Viscosity</b>                               | Not applicable           | Solid                                    |
| <b>Water Solubility</b>                        | Insoluble in water       |  |
| <b>Solubility in other solvents</b>            | No information available |  |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |  |
| <b>Vapor Pressure</b>                          | No data available        |  |
| <b>Density / Specific Gravity</b>              | 8.908 g/cm <sup>3</sup>  | @ 20 °C                                  |
| <b>Bulk Density</b>                            | No data available        |  |
| <b>Vapor Density</b>                           | Not applicable           | Solid                                    |
| <b>Particle characteristics</b>                | No data available        |  |

### 9.2. Other information

|                          |  |
|--------------------------|--|
| <b>Molecular Formula</b> | Ni(core)/NiO(shell)  |
| <b>Molecular Weight</b>  | 58.71  |
| <b>Flammable solids</b>  | Burning rate or burning time = > 5 minutes and <= 10 minutes |
| <b>Evaporation Rate</b>  | Not applicable - Solid                                       |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

|                                 |                               |
|---------------------------------|-------------------------------|
| <b>Hazardous Polymerization</b> | No information available.     |
| <b>Hazardous Reactions</b>      | None under normal processing. |

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

None known.

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

## 10.6. Hazardous decomposition products

Nickel oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

No data available

Inhalation

No data available

| Component | LD50 Oral                 | LD50 Dermal | LC50 Inhalation              |
|-----------|---------------------------|-------------|------------------------------|
| Nickel    | LD50 > 9000 mg/kg ( Rat ) | -           | LC50 > 10.2 mg/L ( Rat ) 1 h |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

##### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

Category 1

May cause sensitization by skin contact

##### (e) germ cell mutagenicity;

No data available

##### (f) carcinogenicity;

Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | EU | UK | Germany | IARC     |
|-----------|----|----|---------|----------|
| Nickel    |    |    | Cat. 1  | Group 2B |

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 1

Route of exposure

Inhalation

Target Organs

Lungs.

##### (j) aspiration hazard;

Not applicable

Solid

#### Symptoms / effects, both acute and delayed

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

### 11.2. Information on other hazards

#### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Contains a substance which is: Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Fish   | Water Flea  | Freshwater Algae   |
|-----------|---|---|--|
| Nickel    | LC50: > 100 mg/L, 96h (Brachydanio rerio)<br>LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio)<br>LC50: = 10.4 mg/L, 96h static (Cyprinus carpio) | EC50: = 1 mg/L, 48h Static (Daphnia magna)<br>EC50: > 100 mg/L, 48h (Daphnia magna) | EC50: 0.174 - 0.311 mg/L, 96h static (Pseudokirchneriella subcapitata)<br>EC50: = 0.18 mg/L, 72h (Pseudokirchneriella subcapitata) |

### 12.2. Persistence and degradability

#### Persistence Degradation in sewage treatment plant

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
Insoluble in water, May persist.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

### 12.4. Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

### 12.5. Results of PBT and vPvB assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

### 12.6. Endocrine disrupting properties

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

#### Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in



# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN3089  
**14.2. UN proper shipping name** Metal powder, flammable, n.o.s.  
**Technical Shipping Name** (Nickel powder)  
**14.3. Transport hazard class(es)** 4.1  
**14.4. Packing group** II

### ADR

**14.1. UN number** UN3089  
**14.2. UN proper shipping name** Metal powder, flammable, n.o.s.  
**Technical Shipping Name** (Nickel powder)  
**14.3. Transport hazard class(es)** 4.1  
**14.4. Packing group** II

### IATA

**14.1. UN number** UN3089  
**14.2. UN proper shipping name** Metal powder, flammable, n.o.s.  
**Technical Shipping Name** (Nickel powder)  
**14.3. Transport hazard class(es)** 4.1  
**14.4. Packing group** II

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Nickel    | 7440-02-0 | 231-111-4 | -      | -   | X     | X    | KE-25818 | X    | -    |

| Component | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------|-----------|------|---|-----|------|------|-------|-------|
| Nickel    | 7440-02-0 | X    | ACTIVE  | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - | REACH (1907/2006) - | REACH Regulation (EC |
|-----------|--------|---------------------|---------------------|----------------------|
|-----------|--------|---------------------|---------------------|----------------------|

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

|        |           | Annex XIV - Substances Subject to Authorization | Annex XVII - Restrictions on Certain Dangerous Substances  | 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------|-----------|---|--|--|
| Nickel | 7440-02-0 | -   | Use restricted. See item 27.<br>(see link for restriction details)<br>Use restricted. See item 75.<br>(see link for restriction details) | -  |

**REACH links**

<https://echa.europa.eu/substances-restricted-under-reach>

**Seveso III Directive (2012/18/EC)**

| Component | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------|-----------|---|--|
| Nickel    | 7440-02-0 | Not applicable  | Not applicable   |

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

**National Regulations**

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class   |
|-----------|---------------------------------------|---|
| Nickel    | WGK2                                  | Class II : 0.5 mg/m <sup>3</sup> (Massenkonzentration)<br>Krebserzeugende Stoffe - Class II : 0.5 mg/m <sup>3</sup> (Massenkonzentration) |

| Component                     | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-------------------------------|--|---|---|
| Nickel<br>7440-02-0 ( <=100 ) | Prohibited and Restricted Substances   |   |   |

**15.2. Chemical safety assessment**

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

**SECTION 16: OTHER INFORMATION**

# SAFETY DATA SHEET

Nickel powder, low carbon, Puratronic®

Revision Date 24-Feb-2024

## Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid  
H317 - May cause an allergic skin reaction  
H351 - Suspected of causing cancer  
H372 - Causes damage to organs through prolonged or repeated exposure  
H412 - Harmful to aquatic life with long lasting effects

## Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/MDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

## **Prepared By**

Health, Safety and Environmental Department

## **Revision Date**

24-Feb-2024

## **Revision Summary**

New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**