

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: 3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity
Cat No. : J61325
Molecular Formula C16 H20 N2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company
 Avocado Research Chemicals Ltd.
 (Part of Thermo Fisher Scientific)
 Shore Road, Heysham
 Lancashire, LA3 2XY,
 United Kingdom
 Office Tel: +44 (0) 1524 850506
 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services
Ireland : National Poisons Information Centre (NPIC) -
01 809 2166 (8am-10pm, 7 days a week)
Malta : +356 2395 2000
Cyprus : +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids

Category 3 (H226)

Health hazards

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

Acute oral toxicity
Acute dermal toxicity
Acute Inhalation Toxicity - Vapors
Specific target organ toxicity - (single exposure)

Category 4 (H302)
Category 4 (H312)
Category 3 (H331)
Category 1 (H370)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor
H331 - Toxic if inhaled
H370 - Causes damage to organs
H302 + H312 - Harmful if swallowed or in contact with skin
EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves/protective clothing
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311 - Call a POISON CENTER or doctor/physician
P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|----------------|-----------|-----------|----------|---|
| Water | 7732-18-5 | 231-791-2 | 71.8 | - |
| Methyl alcohol | 67-56-1 | 200-659-6 | 20 | Flam. Liq. 2 (H225) Acute Tox. 3 (H301) |

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

| | | | | |
|--|------------|-------------------|-----|--|
| | | | | Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) |
| Acetone | 67-64-1 | 200-662-2 | 8 | Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336) EUH066 |
| [1,1'-Biphenyl]-4,4'-diamine, 3,3',5,5'-tetramethyl-, dihydrochloride | 64285-73-0 | EEC No. 264-769-6 | 0.1 | - |
| Hydrogen peroxide | 7722-84-1 | 231-765-0 | 0.1 | Ox. Liq. 1 (H271) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Chronic 3 (H412) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------------|---|----------|-----------------|
| Methyl alcohol | STOT Single Exp. 1 :: >= 10 STOT Single Exp. 2 :: 3 - < 10 | - | - |
| Hydrogen peroxide | Ox. Liq. 1 :: C>=70% Ox. Liq. 2 :: 20%<=C<70% Ox. Liq. 3 :: 8%<=C<20% Skin Corr. 1A :: C>=70% Skin Corr. 1B :: 50%<=C<70% Eye Dam. 1 :: >=8%C<50% Eye Irrit. 2 :: 5%<=C<8% Skin Irrit. 2 :: 35%<=C<50% STOT SE 3 :: C>=35% Aquatic Chronic 3 :: C>=63% | - | - |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---|--|
| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

4.2. Most important symptoms and effects, both acute and delayed

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Nitrogen oxides (NO_x).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep refrigerated. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3
Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-------------------|---|--|--|
| Methyl alcohol | WEL - TWA: 200 ppm TWA; 266 mg/m ³ TWA WEL - STEL: 250 ppm STEL; 333 mg/m ³ STEL | TWA: 200 ppm 8 hr TWA: 260 mg/m ³ 8 hr Skin | TWA: 200 ppm 8 hr. TWA: 260 mg/m ³ 8 hr. STEL: 600 ppm 15 min STEL: 780 mg/m ³ 15 min Skin |
| Acetone | TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1500 ppm STEL: 3620 mg/m ³ | TWA: 500 ppm (8h) TWA: 1210 mg/m ³ (8h) | TWA: 500 ppm 8 hr. TWA: 1210 mg/m ³ 8 hr. STEL: 1500 ppm 15 min STEL: 3630 mg/m ³ 15 min |
| Hydrogen peroxide | STEL: 2 ppm 15 min STEL: 2.8 mg/m ³ 15 min TWA: 1 ppm 8 hr TWA: 1.4 mg/m ³ 8 hr | | TWA: 1 ppm 8 hr. TWA: 1.5 mg/m ³ 8 hr. STEL: 3 mg/m ³ 15 min STEL: 2 ppm 15 min |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|----------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Methyl alcohol 67-56-1 (20) | | DNEL = 20mg/kg bw/day | | DNEL = 20mg/kg bw/day |
| Acetone | | | | DNEL = 186mg/kg |

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

| | | | |
|---------------|--|--|--------|
| 67-64-1 (8) | | | bw/day |
|---------------|--|--|--------|

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|--|-------------------------------------|--|---------------------------------------|--|
| Methyl alcohol 67-56-1 (20) | DNEL = 130mg/m ³ | DNEL = 130mg/m ³ | DNEL = 130mg/m ³ | DNEL = 130mg/m ³ |
| Acetone 67-64-1 (8) | DNEL = 2420mg/m ³ | | | DNEL = 1210mg/m ³ |
| Hydrogen peroxide 7722-84-1 (0.1) | DNEL = 3mg/m ³ | | DNEL = 1.4mg/m ³ | |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|--|----------------------|-------------------------------------|----------------------|---------------------------------------|----------------------------------|
| Methyl alcohol 67-56-1 (20) | PNEC = 20.8mg/L | PNEC = 77mg/kg sediment dw | PNEC = 1540mg/L | PNEC = 100mg/L | PNEC = 100mg/kg soil dw |
| Acetone 67-64-1 (8) | PNEC = 10.6mg/L | PNEC = 30.4mg/kg sediment dw | PNEC = 21mg/L | PNEC = 100mg/L | PNEC = 29.5mg/kg soil dw |
| Hydrogen peroxide 7722-84-1 (0.1) | PNEC = 0.0126mg/L | PNEC = 0.047mg/kg sediment dw | PNEC = 0.0138mg/L | PNEC = 4.66mg/L | PNEC = 0.0023mg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|--|----------------------|-------------------------------------|------------------------------|------------|-----|
| Methyl alcohol 67-56-1 (20) | PNEC = 2.08mg/L | PNEC = 7.7mg/kg sediment dw | | | |
| Acetone 67-64-1 (8) | PNEC = 1.06mg/L | PNEC = 3.04mg/kg sediment dw | | | |
| Hydrogen peroxide 7722-84-1 (0.1) | PNEC = 0.0126mg/L | PNEC = 0.047mg/kg sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | - | EN 374 | (minimum requirement) |
| Nitrile rubber | recommendations | | | |
| Neoprene | | | | |
| PVC | | | | |

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g.

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Particle filtering: EN149:2001
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|--|--------------------------|--|
| Physical State | Liquid | |
| Appearance | | |
| Odor | No information available | |
| Odor Threshold | No data available | |
| Melting Point/Range | No data available | |
| Softening Point | No data available | |
| Boiling Point/Range | No information available | |
| Flammability (liquid) | Flammable | Estimated |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | No data available | |
| Flash Point | No information available | Method - No information available |
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| pH | No information available | |
| Viscosity | No data available | |
| Water Solubility | Miscible | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Component | log Pow | |
| Methyl alcohol | -0.74 | |
| Acetone | -0.24 | |
| Hydrogen peroxide | -1.1 | |
| Vapor Pressure | No data available | |
| Density / Specific Gravity | No data available | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | No data available | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |

9.2. Other information

| | |
|-----------------------------|--|
| Molecular Formula | C16 H20 N2 |
| Molecular Weight | 240.35 |
| Explosive Properties | explosive air/vapour mixtures possible |

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization
Hazardous Reactions

No information available.
None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 4
Dermal Category 4
Inhalation Category 3

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|---|--|---|
| Water | - | - | - |
| Methyl alcohol | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg (Rabbit) | LC50 = 128.2 mg/L (Rat) 4 h |
| Acetone | 5800 mg/kg (Rat) | > 15800 mg/kg (rabbit) > 7400 mg/kg (rat) | 76 mg/l, 4 h, (rat) |
| Hydrogen peroxide | 376 mg/kg (Rat) (90%) 910 mg/kg (Rat) (20-60%) 1518 mg/kg (Rat) (8-20% sol) | >2000 mg/kg (Rabbit) | LC50 = 2000 mg/m ³ (Rat) 4 h |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

| Component | Test method | Test species | Study result |
|--------------------------------|---|--------------|-----------------|
| Methyl alcohol 67-56-1 (20) | OECD Test Guideline 406 Guinea Pig Maximisation Test | guinea pig | non-sensitising |

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

| | | | |
|--------------------------|--|------------|-----------------|
| | (GPMT) | | |
| Acetone 67-64-1 (8) | Guinea Pig Maximisation Test (GPMT) | guinea pig | non-sensitising |

(e) germ cell mutagenicity; No data available

| Component | Test method | Test species | Study result |
|--------------------------|--|--------------|--------------|
| Acetone 67-64-1 (8) | OECD Test Guideline 471 AMES test | in vivo | negative |
| | OECD Test Guideline 476 Mammalian Gene cell mutation | in vitro | negative |

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

| Component | Test method | Test species / Duration | Study result |
|----------------------------------|-------------------------|----------------------------------|---------------------------|
| Methyl alcohol 67-56-1 (20) | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |

(h) STOT-single exposure; Category 1

Results / Target organs Central nervous system (CNS), Optic nerve.

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|----------------|---|--|-------------------------------|
| Methyl alcohol | Pimephales promelas: LC50 > 10000 mg/L 96h | EC50 > 10000 mg/L 24h | |
| Acetone | Oncorhynchus mykiss: LC50 = 5540 mg/l 96h Alburnus alburnus: LC50 = 11000 mg/l 96h Leuciscus idus: LC50 = 11300 mg/L/48h Salmo gairdneri: LC50 = 6100 mg/L/24h | EC50 = 8800 mg/L/48h EC50 = 12700 mg/L/48h EC50 = 12600 mg/L/48h | NOEC = 430 mg/l (algae; 96 h) |

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

| | | | |
|-------------------|-------------------------------------|-------------------|-------------------|
| Hydrogen peroxide | LC50: 16.4 mg/L/96h (P.promelas) | EC50 7.7 mg/L/24h | EC50 2.5 mg/L/72h |
|-------------------|-------------------------------------|-------------------|-------------------|

| Component | Microtox | M-Factor |
|----------------|---|----------|
| Methyl alcohol | EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min | |
| Acetone | EC50 = 14500 mg/L/15 min | |

12.2. Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

| Component | Degradability |
|----------------------------------|--------------------------------|
| Methyl alcohol 67-56-1 (20) | DT50 ~ 17.2d >94% after 20d |
| Acetone 67-64-1 (8) | 91 % (28 d) (OECD 301 B) |

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-------------------|---------|-------------------------------|
| Methyl alcohol | -0.74 | <10 dimensionless |
| Acetone | -0.24 | 0.69 dimensionless |
| Hydrogen peroxide | -1.1 | No data available |

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| | |
|---|---|
| 14.1. UN number | UN2810 |
| 14.2. UN proper shipping name Technical Shipping Name | Toxic liquid, organic, n.o.s. (METHANOL) |
| 14.3. Transport hazard class(es) | 6.1 |
| 14.4. Packing group | III |

ADR

| | |
|---|---|
| 14.1. UN number | UN2810 |
| 14.2. UN proper shipping name Technical Shipping Name | Toxic liquid, organic, n.o.s. (METHANOL) |
| 14.3. Transport hazard class(es) | 6.1 |
| 14.4. Packing group | III |

IATA

| | |
|---|--|
| 14.1. UN number | UN2810 |
| 14.2. UN proper shipping name Technical Shipping Name | TOXIC LIQUID, ORGANIC, N.O.S.* (METHANOL) |
| 14.3. Transport hazard class(es) | 6.1 |
| 14.4. Packing group | III |

| | |
|--|----------------------------------|
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|---|------------|-----------|--------|-----|-------|------|----------|------|------|
| Water | 7732-18-5 | 231-791-2 | - | - | X | X | KE-35400 | X | - |
| Methyl alcohol | 67-56-1 | 200-659-6 | - | - | X | X | KE-23193 | X | X |
| Acetone | 67-64-1 | 200-662-2 | - | - | X | X | KE-29367 | X | X |
| [1,1'-Biphenyl]-4,4'-diamine, 3,3',5,5'-tetramethyl-, dihydrochloride | 64285-73-0 | 264-769-6 | - | - | - | X | - | - | - |
| Hydrogen peroxide | 7722-84-1 | 231-765-0 | - | - | X | X | KE-20204 | X | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|----------------|-----------|------|---|-----|------|------|-------|-------|
| Water | 7732-18-5 | X | ACTIVE | X | - | X | X | X |
| Methyl alcohol | 67-56-1 | X | ACTIVE | X | - | X | X | X |

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

| | | | | | | | | |
|---|------------|---|--------|---|---|---|---|---|
| Acetone | 67-64-1 | X | ACTIVE | X | - | X | X | X |
| [1,1'-Biphenyl]-4,4'-diamine, 3,3',5,5'-tetramethyl-, dihydrochloride | 64285-73-0 | X | ACTIVE | - | X | - | X | - |
| Hydrogen peroxide | 7722-84-1 | X | ACTIVE | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---|------------|---|--|---|
| Water | 7732-18-5 | - | - | - |
| Methyl alcohol | 67-56-1 | - | Use restricted. See entry 69. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details) | - |
| Acetone | 67-64-1 | - | Use restricted. See entry 75. (see link for restriction details) | - |
| [1,1'-Biphenyl]-4,4'-diamine, 3,3',5,5'-tetramethyl-, dihydrochloride | 64285-73-0 | - | - | - |
| Hydrogen peroxide | 7722-84-1 | - | Use restricted. See entry 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---|------------|---|--|
| Water | 7732-18-5 | Not applicable | Not applicable |
| Methyl alcohol | 67-56-1 | 500 tonne | 5000 tonne |
| Acetone | 67-64-1 | Not applicable | Not applicable |
| [1,1'-Biphenyl]-4,4'-diamine, 3,3',5,5'-tetramethyl-, dihydrochloride | 64285-73-0 | Not applicable | Not applicable |
| Hydrogen peroxide | 7722-84-1 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 2 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------|---------------------------------------|--|
| Methyl alcohol | WGK 2 | Class I : 20 mg/m ³ (Massenkonzentration) |
| Acetone | WGK1 | |
| Hydrogen peroxide | WGK1 | |

| Component | France - INRS (Tables of occupational diseases) |
|----------------|--|
| Methyl alcohol | Tableaux des maladies professionnelles (TMP) - RG 84 |
| Acetone | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|----------------------------------|--|---|---|
| Methyl alcohol 67-56-1 (20) | Prohibited and Restricted Substances | Group I | |
| Acetone 67-64-1 (8) | | Group I | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H331 - Toxic if inhaled
H370 - Causes damage to organs
EUH066 - Repeated exposure may cause skin dryness or cracking
H225 - Highly flammable liquid and vapor
H271 - May cause fire or explosion; strong oxidizer
H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H336 - May cause drowsiness or dizziness

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

SAFETY DATA SHEET

3,3',5,5'-Tetramethylbenzidine solution, Ready-to-Use, high sensitivity

Revision Date 30-Nov-2024

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 30-Nov-2024

Revision Summary Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet