

Creation Date 22-Sep-2009

Revision Date 19-Oct-2023

Revision Number 10

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                                                          |
|---------------------------|----------------------------------------------------------|
| Product Description:      | <b>n-Butyl acetate</b>                                   |
| Cat No. :                 | B/4950/25, B/4950/08, B/4950/17, B/4950/24, B/4950       |
| Synonyms                  | Butyl acetate; Acetic acid, butyl ester; 1-Butyl acetate |
| Index No                  | 607-025-00-1                                             |
| CAS No                    | 123-86-4                                                 |
| EC No                     | 204-658-1                                                |
| Molecular Formula         | C6H12O2                                                  |
| REACH registration number | 01-2119485493-29                                         |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| Recommended Use                | Laboratory chemicals.                                                                       |
| Sector of use                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| Product category               | PC21 - Laboratory chemicals                                                                 |
| Process categories             | PROC15 - Use as a laboratory reagent                                                        |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against           | No Information available                                                                    |

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road, Loughborough,  
Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a  
2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

Tel: 01509 231166  
Chemtrec US: (800) 424-9300  
Chemtrec EU: 001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567**

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

## Physical hazards

Flammable liquids

Category 3 (H226)

## Health hazards

Specific target organ toxicity - (single exposure)

Category 3 (H336)

## Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Warning

## Hazard Statements

H226 - Flammable liquid and vapor

H336 - May cause drowsiness or dizziness

EUH066 - Repeated exposure may cause skin dryness or cracking

## Precautionary Statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component       | CAS No   | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-----------------|----------|-------------------|----------|-----------------------------------------------------------------------------------------|
| n-Butyl acetate | 123-86-4 | EEC No. 204-658-1 | <=100    | Flam. Liq. 3 (H226)<br>STOT SE 3 (H336)<br>EUH066                                       |

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

REACH registration number

01-2119485493-29

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                    |                                                                                                                   |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| General Advice                     | If symptoms persist, call a physician.                                                                            |
| Eye Contact                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.   |
| Skin Contact                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Ingestion                          | Clean mouth with water and drink afterwards plenty of water.                                                      |
| Inhalation                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.      |
| Self-Protection of the First Aider | No special precautions required.                                                                                  |

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 3  
**Storage Class (LGK) (Germany)**

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component       | The United Kingdom   | European Union | Ireland              |
|-----------------|----------------------|----------------|----------------------|
| n-Butyl acetate | STEL: 200 ppm 15 min |                | STEL: 150 ppm 15 min |

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

|  |                                                                                            |  |                                    |
|--|--------------------------------------------------------------------------------------------|--|------------------------------------|
|  | STEL: 966 mg/m <sup>3</sup> 15 min<br>TWA: 150 ppm 8 hr<br>TWA: 724 mg/m <sup>3</sup> 8 hr |  | STEL: 723 mg/m <sup>3</sup> 15 min |
|--|--------------------------------------------------------------------------------------------|--|------------------------------------|

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                            | Fresh water     | Fresh water sediment                | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)               |
|--------------------------------------|-----------------|-------------------------------------|--------------------|------------------------------------|----------------------------------|
| n-Butyl acetate<br>123-86-4 ( ≤100 ) | PNEC = 0.18mg/L | PNEC =<br>0.981mg/kg<br>sediment dw | PNEC = 0.36mg/L    | PNEC = 35.6mg/L                    | PNEC =<br>0.0903mg/kg soil<br>dw |

| Component                            | Marine water     | Marine water sediment                | Marine water intermittent | Food chain | Air |
|--------------------------------------|------------------|--------------------------------------|---------------------------|------------|-----|
| n-Butyl acetate<br>123-86-4 ( ≤100 ) | PNEC = 0.018mg/L | PNEC =<br>0.0981mg/kg<br>sediment dw |                           |            |     |

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard       | Glove comments                                                                                                                   |
|----------------|-------------------|-----------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Butyl rubber   | < 125 minutes     | 0.63 mm         | Level 4           | Permeation rate 83 µg/cm <sup>2</sup> /min                                                                                       |
| Nitrile rubber | < 78 minutes      | 0.38 mm         | Level 3<br>EN 374 | Permeation rate 135 µg/cm <sup>2</sup> /min<br>As tested under EN374-3 Determination of<br>Resistance to Permeation by Chemicals |

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

|                                        |                                                                                                                                                                                                                                                                                              |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                        | appropriate certified respirators.<br>To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly                                                                                                                                    |
| <b>Large scale/emergency use</b>       | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced<br><b>Recommended Filter type:</b> Organic gases and vapours filter Type A Brown conforming to EN14387                                   |
| <b>Small scale/Laboratory use</b>      | Maintain adequate ventilation. Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.<br><b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 |
| <b>Environmental exposure controls</b> | Prevent product from entering drains.                                                                                                                                                                                                                                                        |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                                |                                      |                                          |
|------------------------------------------------|--------------------------------------|------------------------------------------|
| <b>Physical State</b>                          | Liquid                               |                                          |
| <b>Appearance</b>                              | Colorless                            |                                          |
| <b>Odor</b>                                    | sweet                                |                                          |
| <b>Odor Threshold</b>                          | 7 - 20 ppm                           |                                          |
| <b>Melting Point/Range</b>                     | -90 °C / -130 °F                     |                                          |
| <b>Softening Point</b>                         | No data available                    |                                          |
| <b>Boiling Point/Range</b>                     | 126 °C / 258.8 °F                    |                                          |
| <b>Flammability (liquid)</b>                   | Flammable                            | On basis of test data                    |
| <b>Flammability (solid,gas)</b>                | Not applicable                       | Liquid                                   |
| <b>Explosion Limits</b>                        | <b>Lower</b> 1.2<br><b>Upper</b> 7.5 |                                          |
| <b>Flash Point</b>                             | 27 °C / 80.6 °F                      | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | 415 °C / 779 °F                      |                                          |
| <b>Decomposition Temperature</b>               | No data available                    |                                          |
| <b>pH</b>                                      | 6.2 @ 20°C                           |                                          |
| <b>Viscosity</b>                               | 0.83 mPas @ 20°C                     |                                          |
| <b>Water Solubility</b>                        | Insoluble                            |                                          |
| <b>Solubility in other solvents</b>            | No information available             |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                                      |                                          |
| <b>Component</b>                               | <b>log Pow</b>                       |                                          |
| n-Butyl acetate                                | 2.3                                  |                                          |
| <b>Vapor Pressure</b>                          | No data available                    |                                          |
| <b>Density / Specific Gravity</b>              | 0.881 @ 20C                          |                                          |
| <b>Bulk Density</b>                            | Not applicable                       | Liquid                                   |
| <b>Vapor Density</b>                           | 4                                    | (Air = 1.0)                              |
| <b>Particle characteristics</b>                | Not applicable (liquid)              |                                          |

### 9.2. Other information

|                             |                                                                                                                   |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Molecular Formula</b>    | C6H12O2                                                                                                           |
| <b>Molecular Weight</b>     | 116.16                                                                                                            |
| <b>Explosive Properties</b> | Not explosive (no chemical groups associated with explosive properties) explosive air/vapour mixtures possible    |
| <b>Oxidizing Properties</b> | Not oxidising (based on the chemical structure of the substance and oxidation states of the constituent elements) |
| <b>Evaporation Rate</b>     | 1.0 (ether = 1)                                                                                                   |
| <b>Refractive index</b>     | 1.393                                                                                                             |

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

#### **Hazardous Polymerization Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

#### **(a) acute toxicity;**

**Oral**

Based on available data, the classification criteria are not met

**Dermal**

Based on available data, the classification criteria are not met

**Inhalation**

Based on available data, the classification criteria are not met

| Component       | LD50 Oral                  | LD50 Dermal                   | LC50 Inhalation              |
|-----------------|----------------------------|-------------------------------|------------------------------|
| n-Butyl acetate | LD50 = 10768 mg/kg ( Rat ) | LD50 > 17600 mg/kg ( Rabbit ) | LC50 = 0.74 mg/L ( Rat ) 4 h |

#### **(b) skin corrosion/irritation;**

Based on available data, the classification criteria are not met

#### **(c) serious eye damage/irritation;**

Based on available data, the classification criteria are not met

#### **(d) respiratory or skin sensitization;**

**Respiratory**

Based on available data, the classification criteria are not met

**Skin**

Based on available data, the classification criteria are not met

#### **(e) germ cell mutagenicity;**

Based on available data, the classification criteria are not met

#### **(f) carcinogenicity;**

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

|                                            |                                                                                      |
|--------------------------------------------|--------------------------------------------------------------------------------------|
| (g) reproductive toxicity;                 | Based on available data, the classification criteria are not met                     |
| (h) STOT-single exposure;                  | Category 3                                                                           |
| Results / Target organs                    | Central nervous system (CNS).                                                        |
| (i) STOT-repeated exposure;                | Based on available data, the classification criteria are not met                     |
| Target Organs                              | None known.                                                                          |
| (j) aspiration hazard;                     | Based on available data, the classification criteria are not met                     |
| Symptoms / effects, both acute and delayed | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. |

## 11.2. Information on other hazards

|                                 |                                                                                                                                     |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors. |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

| Component       | Freshwater Fish                                                                     | Water Flea | Freshwater Algae                                  |
|-----------------|-------------------------------------------------------------------------------------|------------|---------------------------------------------------|
| n-Butyl acetate | Lepomis macrochirus: LC50: 100 mg/L/96h<br>Pimephales promelas: LC50:17-19 mg/L/96h |            | EC50: = 674.7 mg/L, 72h (Desmodesmus subspicatus) |

| Component       | Microtox                                                                                             | M-Factor |
|-----------------|------------------------------------------------------------------------------------------------------|----------|
| n-Butyl acetate | EC50 = 70.0 mg/L 5 min<br>EC50 = 82.2 mg/L 15 min<br>EC50 = 959 mg/L 18 h<br>EC50 = 98.9 mg/L 30 min |          |

### 12.2. Persistence and degradability

#### Persistence

Readily biodegradable

#### Degradation in sewage treatment plant

Persistence is unlikely, based on information available.

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| n-Butyl acetate | 2.3     | No data available             |

### 12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Spillage unlikely to penetrate soil. Will likely be mobile in the environment due to its volatility. Highly mobile in soils

### 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant

This product does not contain any known or suspected substance

### Ozone Depletion Potential

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN1123

#### 14.2. UN proper shipping name

BUTYL ACETATES

#### 14.3. Transport hazard class(es)

3

#### 14.4. Packing group

III

### ADR

#### 14.1. UN number

UN1123

#### 14.2. UN proper shipping name

BUTYL ACETATES

#### 14.3. Transport hazard class(es)

3

#### 14.4. Packing group

III

### IATA

#### 14.1. UN number

UN1123

#### 14.2. UN proper shipping name

BUTYL ACETATES

#### 14.3. Transport hazard class(es)

3

#### 14.4. Packing group

III

#### 14.5. Environmental hazards

No hazards identified

#### 14.6. Special precautions for user

No special precautions required.

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component       | CAS No   | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------------|----------|-----------|--------|-----|-------|------|----------|------|------|
| n-Butyl acetate | 123-86-4 | 204-658-1 | -      | -   | X     | X    | KE-04179 | X    | X    |

| Component       | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------|----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| n-Butyl acetate | 123-86-4 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

Not applicable

| Component       | CAS No   | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------|----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| n-Butyl acetate | 123-86-4 | -                                                                   | -                                                                             | -                                                                                                     |

#### Seveso III Directive (2012/18/EC)

| Component       | CAS No   | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------------|----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| n-Butyl acetate | 123-86-4 | Not applicable                                                                            | Not applicable                                                                           |

#### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### WGK Classification

See table for values

| Component       | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------|---------------------------------------|-------------------------|
| n-Butyl acetate | WGK1                                  |                         |

FSUB4950

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

| Component       | France - INRS (Tables of occupational diseases)      |
|-----------------|------------------------------------------------------|
| n-Butyl acetate | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component                             | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| n-Butyl acetate<br>123-86-4 ( <=100 ) |                                                                                                                | Group I                                                                         |                                                                                             |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H336 - May cause drowsiness or dizziness

EUH066 - Repeated exposure may cause skin dryness or cracking

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

# SAFETY DATA SHEET

n-Butyl acetate

Revision Date 19-Oct-2023

---

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.  
Chemical incident response training.

**Creation Date** 22-Sep-2009  
**Revision Date** 19-Oct-2023  
**Revision Summary** Not applicable.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**